

عنوان مقاله:

Peripheral Cemento-Ossifying Fibroma Associated With an Unerupted Tooth

محل انتشار:

فصلنامه بين الملَّلي تحقيقات پزشكي, دوره 8, شماره 4 (سال: 1398)

تعداد صفحات اصل مقاله: 7

نویسندگان: Sinem Birant - *DDS, PhD, Pediatric dentist, Private practice, Istanbul, TURKEY*

Yelda Kasimoglu - DDS, PhD, Res. Assist., Department of Pedodontics, Faculty of Dentistry, Istanbul University, Istanbul, TURKEY

Abdulkadir Burak Cankaya - DDS, PhD, Assoc. Prof., Department of Department of Oral and Maxillofacial Surgery, .Faculty of Dentistry, Istanbul University, Istanbul, TURKEY

Nihan Aksakalli - DDS, PhD, Assist. Prof., Department of Department of Tumour Pathology, Institute of Oncology, Istanbul University Istanbul, TURKEY

Figen Seymen - DDS, PhD, Prof., Department of Pedodontics, Faculty of Dentistry, Istanbul University, Istanbul, .TURKEY

خلاصه مقاله:

Peripheral cemento-ossifying fibroma (PCOF) is a relatively rare tumor classified between fibro-osseous lesions. This lesion is more common in the maxilla than the mandibula. About 60% of the tumors occur in the maxilla and also more than 50% of all lesions affect the anterior region of the maxilla. The management of a pediatric patient with PCOF requires early diagnosis and treatment. Appropriate treatment protocol with close post-operative follow-up is required for these patients. We report here, the clinical case of a 9-year-old girl, with the disease duration of 1 year and was .followed-up for 2 years post-surgically showing gingival health, normal radio-opacity of bone without any recurrence

کلمات کلیدی:

.Fibro-Osseous Lesion, Oral Tumors, Peripheral Cemento-Ossifying Fibroma, Pyogenic Granuloma

لینک ثابت مقاله در پایگاه سیویلیکا:

https://civilica.com/doc/1138360

