

## عنوان مقاله:

Rhabdomyosarcoma of the Cervix, Local Excision or Radical Surgery (Report of Two Cases and Review of the Literature)

## محل انتشار:

فصلنامه زنان و مامایی و سرطانهای زنان، دوره 1، شماره 2 (سال: 1395)

تعداد صفحات اصل مقاله: 1

## نویسندگان:

Akhavan - *Department of Obstetrics and Gynecology, Imam Khomeini Hospital, Tehran University of Medical Sciences, Tehran, IR Iran*

Tehrani - *Department of Obstetrics and Gynecology, Arash Women Hospital, Tehran University of Medical Sciences, Tehran, IR Iran*

Ghahghaei Nezam Abadi - *Department of Obstetrics and Gynecology, Arash Women Hospital, Tehran University of Medical Sciences, Tehran, IR Iran*

## خلاصه مقاله:

Introduction: Embryonal (Botryoid) Rhabdomyosarcoma (RMS) is an aggressive malignancy that arises from embryonal rhabdomyoblasts. It is commonly seen in the genital tract of female infants and young children. The primary site of these tumors is closely related to the age of the patient. Embryonal Rhabdomyosarcoma has a marked tendency for local recurrence after excision. Due to young age of affected patients who desire fertility, the management of this rapidly growing malignancy is very critical and poses challenges.

## کلمات کلیدی:

Embryonal Rhabdomyosarcoma, Cervix, Surgery

## لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/1138827>

