

عنوان مقاله:

Vaginal Adenosis in Two Patients with No History of Diethylstilbestrol: A Case Report

محل انتشار:

فصلنامه زنان و مامایی و سرطانهای زنان، دوره 5، شماره 4 (سال: 1399)

تعداد صفحات اصل مقاله: 3

نویسندگان:

Maliheh Hasanzadeh - *Department of Obstetrics and Gynecology, Fellow of Gynecology Oncology, Women's Health Research Center, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran*

Seyedeh Sara Nourbakhsh - *Medical Student, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran*

Amir Hosein Jafarian - *Associate Professor, Department of Pathology, Faculty of Medicine, Mashhad University of Medical Sciences, Mashhad, Iran*

Parnian Malakuti - *Medical Student, Faculty of Medicine, Szeged University of Medical Sciences, Szeged, Hungary*

خلاصه مقاله:

Introduction: Vaginal adenosis is one of the precursor lesions of the vaginal clear cell adenocarcinoma (CCA). The most common symptom of vaginal adenosis is abnormal vaginal pain and bleeding. About 90% of women exposed to diethylstilbestrol (DES) during pregnancy have vaginal and cervical adenosis in female fetus. DES has been reported rarely with no history of fetal use. Case Presentation: In this article, we report two vaginal adenosis patients with no history of DES during pregnancy. There was no vaginal cancer in the follow-up of the patients. Conclusion: Vaginal adenosis is considered as a non-common differential diagnosis of vaginal bleeding that can be diagnosed by physical examination, colposcopy, and biopsy.

کلمات کلیدی:

Clear cell adenocarcinoma, Vaginal hemorrhage, Case report

لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/1143327>

