

عنوان مقاله:

Photocatalytic degradation of methyl orange dye using bismuth oxide nanoparticles under visible radiation

محل انتشار:

فصلنامه شیمی نوین، دوره 8، شماره 3 (سال: 1400)

تعداد صفحات اصل مقاله: 11

نویسندگان:

Fatemeh Poorsajadi - *Department of Environmental Engineering, Faculty of Natural Resources and Environment, University of Birjand, Birjand, Iran*

Mohammad Sayadi - *Department of Environmental Engineering, Faculty of Natural Resources and Environment, University of Birjand, Birjand, Iran*

Mahmood Hajiani - *Department of Environmental Engineering, Faculty of Natural Resources and Environment, University of Birjand, Birjand, Iran*

Mohammad Rezaei - *Department of Environmental Engineering, Faculty of Natural Resources and Environment, University of Birjand, Birjand, Iran*

خلاصه مقاله:

In this study, Bismuth oxide supported by copper nanoparticles were successfully synthesized by hydrothermal method and the effect of pH, catalyst dose of initial dye concentration was studied. It has shown excellent photocatalytic performance in the degradation of methyl orange dye under UV light, so that ۹۳.۷۶% degradation was obtained at acidic pH and color concentration of ۲۰ mg/l with ۰.۰۴ g/l photocatalyst. The kinetic study reacted that the Pseudo-first-order model is the best model for the photocatalytic degradation of methyl orange. In addition, the reuse test showed that the nanocomposite, after ۴ reuse periods maintained its stability in high colour removal. Therefore, it can be safely said that the nanocomposite due to its good photocatalytic performance can be used as a promising .photocatalyst for the treatment of environmental pollutants on a large scale

کلمات کلیدی:

Methyl orange, Hydrothermal center, Photocatalytic degradation, Reuse

لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/1268029>

