

عنوان مقاله:

Impact of Prepolymerization Monomer on Polymerization of LLDPE

محل انتشار:

هفدهمین کنگره ملی مهندسی شیمی ایران (سال: 1400)

تعداد صفحات اصل مقاله: 5

نویسندگان:

s nikazar - Polymer Engineering Department, Engineering College, University of Tehran, Tehran, P.O.Box: ווּאומם-אָרָאָמא,Iran

e nikzinat - Research and Development Center, Jam Petrochemical Company, Pars Special Economic Energy Zone,Asaluyeh, Bushehr, Iran

a Sepahi - Research and Development Center, Jam Petrochemical Company, Pars Special Economic Energy Zone,Asaluyeh, Bushehr, Iran

r Rashedi - Research and Development Center, Jam Petrochemical Company, Pars Special Economic Energy Zone,Asaluyeh, Bushehr, Iran

m saati - Research and Development Center, Jam Petrochemical Company, Pars Special Economic Energy Zone,Asaluyeh, Bushehr, Iran

m najafi - Polymer Engineering Department, Engineering College, University of Tehran, Tehran, P.O.Box: ווּרוּמַם-אָרָּהַמָּם, Iran

خلاصه مقاله:

Polyethylene, in fact, has the highest production volume among polyolefins. Lightweight linear polyethylene resins, a category of polyethylenes, are considered as one of the main products in the world with a high annual production rate. One of the methods of synthesis of linear low-density polyethylene is the use of pre-polymerization method. In this research, propylene, 1-butene and ethylene were used as prepolymers at $\[mu]{}^{\linear}$ $\[mu]{}^{\linear}$ $\[mu]{}^{\linear}$ by pre-polymerization method. The results obtained in the melt flow index test showed that ethylene monomer had the lowest value. As a result, it had the highest molecular weight. The catalyst .activity was increased as the propylene content in the sample increased

کلمات کلیدی:

.Linear Lightweight Polyethylene, Polymerization Analysis, Melt Flow Index, Prepolymerization

لینک ثابت مقاله در پایگاه سیویلیکا:

https://civilica.com/doc/1378321



