

عنوان مقاله:

Systemic thrombolysis in the upper extremity deep vein thrombosis

محل انتشار:

مجله آریا آترواسکلروز, دوره 7, شماره 1 (سال: 1390)

تعداد صفحات اصل مقاله: 7

نویسندگان:

Roxana Sadeghi - Assistant Professor of Cardiology, Cardiovascular Research Center, Department of Internal Medicine, School of Medicine, Shahid Beheshti University of Medical Sciences (SUMS), Tehran

Morteza Safi - Assistant Professor of Cardiology, Cardiovascular Research Center, Department of Internal Medicine, School of Medicine, Shahid Beheshti University of Medical Sciences (SUMS), Tehran

خلاصه مقاله:

Almost ۴% of all patients with venous thrombosis have upper extremity deep vein thrombosis(UEDVT) and the incidence of UEDVT increases over time. The frequency of post-thromboticsyndrome (PTS) after UEDVT is not low and upper extremity PTS is a potentially majormorbidity that adversely affects quality of life, particularly if the dominant arm is involved. Wediscuss briefly the role of thrombolytic therapy in the treatment of upper extremity deep vein thrombosis and also the role of systemic thrombolysis in selected patients. Keywords: Venous Thrombosis, Post-thrombotic Syndrome, Upper Extremity Deep VeinThrombosis, Paget-Schroetter Syndrome, Effort Induced Upper Extremity Deep Vein Thrombosis,Central Venous Catheter Thrombosis, Thoracic Outlet Syndrome, Axillary Vein, Subclavian Vein

کلمات کلیدی:

لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/1505087>

