

عنوان مقاله:

(Modeling Ground-Water Quality using Time Series Models (A Case Study: Dehloran Plain, Ilam

محل انتشار:

فصلنامه علوم و مهندسی آبیاری, دوره 45, شماره 2 (سال: 1401)

تعداد صفحات اصل مقاله: 17

نویسندگان:

Fatemeh Mohammadyari - PhD in Evaluation Environmental and Land Use Planning, Faculty of Natural Resources &).Environment, Malayer University, Malayer, Iran

Ardavan Zarandian - Assistant professor, research group of environmental assessment and risks, Research Center for Environment and Sustainable Development (RCESD), Department of Environment, Tehran, Islamic Republic of .Iran

Fouzieh Beigmohammadi - Ph.D. Student of Environmental Pollution, Faculty of Natural Resources & Environment, .Malayer University, Malayer, Iran

خلاصه مقاله:

The main purpose of the present study is to modeling the variation of ground-water quality parameters from Y••1 to Y•1A and predicting its quality for Y•YY. To achieve it, we accessed parameters which included total hardness (TH), total dissolved solids (TDS), sodium (Na), sulfates (SOF), and chlorides (CI) which acquired from thirty-four wells in Dehloran Plain, Ilam. Due to the large number of wells, the samples were classified through cluster analysis into six clusters. To determine the number of clusters, a hierarchical clustering method was used. Five time-series models of autoregressive (AR), moving-average (MA), auto-regressive moving-average (ARMA), autoregressive integrated moving-average (ARIMA), and seasonal auto-regressive integrated moving-average (SARIMA) were applied to predict the changing ground-water quality. The best model was selected based on the Autocorrelation function (ACF) and Partial autocorrelation function (PACF), Akaike Information Criterion (AIC), and Coefficient of determination (RY). The results of the prediction indicated that the average concentration of CI and Na will increase in all the clusters in Y•YY. Moreover, the average of the predicted SOF will increase in all clusters except for the sixth one. The average of TDS also will increase in the first to third clusters, while it will decline in the fourth, fifth, and sixth clusters. The average of the predicted TH in the first, second, third, and fifth clusters will rise, whereas it will be reduced in the fourth and sixth clusters. It can be concluded that the status of ground-water quality is worsening in Dehloran Plain and in Y•YY its ... quality will become lower compared to previous years

کلمات کلیدی:

ground-water, Time series, Dehloran Plain, auto-regressive

لینک ثابت مقاله در پایگاه سیویلیکا:





