

## عنوان مقاله:

Investigation of Magnetic Fluid Hyperthermia in Cylindrical Coordination for Two Types of Nanoparticles

## محل انتشار:

دومین همایش ملی پژوهش های کاربردی در برق، مکانیک و مکاترونیک (سال: ۱۳۹۳)

تعداد صفحات اصل مقاله: ۱۲

## نویسندگان:

Mohammad Mohammadzadeh - Department of Biomechanical Engineering, Iran University of Science and Technology, Tehran, Iran

Mohammad Haghpanahi - Department of Biomechanical Engineering, Iran University of Science and Technology, Tehran, Iran

Erfan Rahmanian - Department of Biomechanical Engineering, Iran University of Science and Technology, Tehran, Iran

## خلاصه مقاله:

Magnetic fluid hyperthermia is a treatment method for cancer therapy. This method is based on this fact that if magnetic nano particles are subjected to an alternating magnetic field they will produce heat in tumor tissue. Therefore, if magnetic nano particles are injected into a tumor tissue and get subjected to an alternating magnetic field with high amplitude and frequency, tumor tissue temperature would rise. This could lead to destroying of cancer cells. In this study, at first, magnetic field intensity at different parts of experiment sample has been calculated by software simulation. Then temperature distribution in agar gel with two types of nano fluid in appropriated concentrations for dispersed and concentrated injections has been evaluated. Results indicate that magnetic field in different parts of gel are not the same but the differences are not much and can be ignored. Temperature distribution for both types of nano fluid in dispersed and concentrated injections has a behavior like a degree three function, also compared to dispersed injection, a higher temperature is observed in concentrated injection

## کلمات کلیدی:

Magnetic fluid hyperthermia, Dispersed and concentrated injection of nano fluid, Magnetic fluid hyperthermia in cylindrical coordination

## لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/۳۸۷۴۲۰>