

عنوان مقاله:

The relationship between vaginal bleeding in the first and second trimester of pregnancy and preterm labor

محل انتشار:

مجله طب توليد مثل ايران, دوره 11, شماره 5 (سال: 1392)

تعداد صفحات اصل مقاله: 6

نویسندگان:

Seyedeh Hajar Sharami - Reproductive Health Research Center, Department of Obstetrics and Gynecology, Guilan University of Medical Sciences, Rasht, Iran

Roya Faraji Darkhaneh - Reproductive Health Research Center, Department of Obstetrics and Gynecology, Guilan University of Medical Sciences, Rasht, Iran

Ziba Zahiri - Reproductive Health Research Center, Department of Obstetrics and Gynecology, Guilan University of Medical Sciences, Rasht, Iran

Forozan Milani - Reproductive Health Research Center, Department of Obstetrics and Gynecology, Guilan University of Medical Sciences, Rasht, Iran

خلاصه مقاله:

Background: Vaginal bleeding is a common complication during pregnancy, which is observed in about 1/4 of pregnancies and in half of cases can lead to abortion. If vaginal bleeding happens during pregnancy some adverse pregnancy outcomes, including perinatal mortality and morbidity, low birth weight and preterm delivery will be increased. Objective: The aim of this study was to determine the relationship between vaginal bleeding and its characteristics in the first and second trimester of pregnancy and preterm labor. Materials and Methods: This is a case-control study conducted on 440 pregnant women referred to Al-Zahra Hospital in Rasht, Iran. Data were collected by a form. The form included demographic characteristics and confounding factors, the occurrence of bleeding during pregnancy and its features. Data were analyzed by T test, chi square and logistic regression in SPSS 16. Results: Findings showed that vaginal bleeding was associated with 3 times increased risk of preterm delivery (OR: 3, 1.84-4.89). Also, findings showed that bleeding characteristics including bleeding time, frequency, severity and intensity was significantly associated with preterm labor. Conclusion: According to significant association between vaginal bleeding and preterm delivery, it seems that performing some interventions to prevent preterm labor could be appropriate

کلمات کلیدی:

Pregnancy, Preterm labor, Vaginal bleeding

لینک ثابت مقاله در پایگاه سیوپلیکا:

https://civilica.com/doc/488884



