

عنوان مقاله:

Endogenous Endophthalmitis, a 12-year survey

محل انتشار:

بیست و هشتمین کنگره سالیانه انجمن چشم پزشکی ایران (سال: 1397)

تعداد صفحات اصل مقاله: 1

نویسندگان:

Seyed Ali Tabatabaei - *Tehran University of Medical Sciences*

Mohammad Soleimani - *Tehran University of Medical Sciences*

Ali Asghar Ahmad Raji - *Tehran University of Medical Sciences*

Bahram Bohrani - *Tehran University of Medical Sciences*

خلاصه مقاله:

Purpose: To present clinical features and microbial profile in endogenous endophthalmitis **Methods:** For 12 years, sixty-seven cases of endogenous endophthalmitis were included. The cases were studied especially regarding microorganisms, background cause, and visual outcome. **Results:** There was no significant difference between male and female gender in frequency, the mean age was 51.16.4% cases were bilateral. Yeasts were the most encountered microorganisms. Candida was found in 31.3 % of cases. Staphylococcus aureus was the second isolated microorganism including 19.4% of cases. The most common leading cause was pyelonephritis (38.1%). In 9.1%, there was not any systemic disease or situation as a culprit for endogenous endophthalmitis. In 64.6% of eyes, the patient underwent pars plana vitrectomy, most frequently for candida keratitis. 17.9% of cases were no light perception(NLP) at final follow up. **Conclusion:** The most frequent microorganism in this study was candida. The study showed poor visual outcome in endogenous endophthalmitis

کلمات کلیدی:

لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/809760>

