

عنوان مقاله:

modification of Isotactic Polypropylene for Grafting Reaction

محل انتشار:

همایش منطقه ای شیمی (سال: 1389)

تعداد صفحات اصل مقاله: 1

نویسندگان:

M. Abbasian - Lab of Chemical Research, Faculty of Science, Payame Noor University, Tabriz-Iran

M. Shahparian - Islamic Azad University Miyaneh Branch, Miyaneh, Iran

M. Mirzaei - Islamic Azad University Miyaneh Branch, Miyaneh, Iran

خلاصه مقاله:

Isotactic polypropylene (iPP) is one of the most widely used polyolefins because of its outstanding physical and chemical properties, such as stiffness, excellent resistance to chemicals, a relatively high deformation temperature, and low density [1]. However, the melt strength of commodity iPP drops rapidly as the temperature rises. The low melt strength of iPP leads to poor processing properties in extensional flow-dominated processes, such as thermoforming, extrusion coating, blow molding, and foaming. It is necessary to improve the melt strength of iPP to further widen its applications [2]. One of the ways to improve Polypropylene is functionalization of this polymer. Hydroxyl functionalization of polypropylene was successfully synthesized by a graft copolymerization from maleic anhydride-modified polypropylene (PP-MAH). PP-MAH reacted with to produce a hydroxyl group containing polypropylene (PP-OH). The structure of obtained copolymer was investigated by ^1H NMR, FTIR spectroscopy.

کلمات کلیدی:

لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/829041>

