

## عنوان مقاله:

Effect of aluminum contents on the microstructure and properties of Al<sub>x</sub>CoCrFeNi alloys

## محل انتشار:

پنجمین کنفرانس بین المللی آلومینیوم ایران (سال: 1397)

تعداد صفحات اصل مقاله: 1

## نویسندگان:

Maryam Izadi - School of Metallurgy and Materials Engineering, Iran University of Science and Technology (IUST),  
Tehran, ۱۶۸۴۶۱۳۱۱۴, Iran

Mansour Soltanieh - School of Metallurgy and Materials Engineering, Iran University of Science and Technology  
(IUST), Tehran, ۱۶۸۴۶۱۳۱۱۴, Iran

Somaye Alamolhoda - School of Metallurgy and Materials Engineering, Iran University of Science and Technology  
(IUST), Tehran, ۱۶۸۴۶۱۳۱۱۴, Iran

## خلاصه مقاله:

In 2004, Yeh et al. put forward a total innovative conceptual component design. The researcher added more than 5 components with a near equimolar ratio to the alloys. And the alloys were named as high-entropy alloys (HEAs). Studies showed that simple solid solution phase usually appeared, rather than intermetallic compounds in HEAs. Those phases empowered the alloy with high hardness, excellent resistance to temper softening, good ductility and corrosion resistance. In this study, Al<sub>x</sub>CoCrFeNi alloys with multiprincipal elements ( $x = 0, 0.25, 0.75, 1.25$  and  $2$ ) are prepared by using an induction-melting. With increasing  $x$ , the Al<sub>x</sub>CoCrFeNi alloys change from single FCC phase to single BCC phase with a transition duplex FCC/BCC region. Their microstructure and mechanical properties are investigated. This result confirms that Al promotes the formation of BCC structure. The increase of  $x$  leads to distortion of the crystalline lattice and the alloy strengthening. The highest hardness (700 HV) is achieved by  $x=0.75$  which the structure changes from FCC to FCC+BCC.

## کلمات کلیدی:

High entropy alloys; Microstructure; Properties; Aluminium content

## لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/897795>

