

عنوان مقاله:

The effect of family-based intervention program on managerial self-efficacy related to chemotherapy symptoms in Iranian patients with breast cancer; a randomized control trial

محل انتشار:

چهاردهمین کنگره بین المللی سرطان پستان (سال: 1397)

تعداد صفحات اصل مقاله: 1

نویسندگان:

Saeedeh Alizadeh - *MSc in Midwifery Consultation, Student Research Committee, Urmia University of Medical Sciences, Urmia, Iran*

Fatemeh Moghaddam Tabrizi - *Associate Professor in Nursing and Midwifery Department, Reproductive Health Research Center, Urmia University Of Medical Sciences, Urmia, Iran*

Shahriar Khanahmadi - *Medical Student, Faculty of Medicine, Student Research Committee, Urmia University of Medical Sciences, Urmia, Iran*

Samira Barjasteh - *Ph.D Student in Reproductive Health, Nursing and Midwifery School, Tehran University of Medical Sciences, Tehran, Iran*

خلاصه مقاله:

Introduction & Aim: Family plays an important role in the health of breast cancer patients and improves their self-efficacy. The aim of this study was to determine the effectiveness of a family-based intervention program on the managerial self-efficacy associated with chemotherapy symptoms in women with breast cancer referred to the educational centers of Urmia in 2016. **Methods:** In this clinical trial study conducted on 60 patients, convenience sampling was done and all patients were randomly assigned into two intervention and control groups. The intervention included implementing family-based intervention on the managerial self-efficacy associated with chemotherapy symptoms in breast cancer patients. The data collection instruments were demographic questionnaire and SMSES-BC questionnaire. **Results:** The results indicated a significant difference between the mean score of problem-solving subscale, management of symptoms related to chemotherapy, management of emotional and interpersonal disturbance and total score of the managerial self-efficacy associated with chemotherapy symptoms in the post-test intervention group ($P < 0.001$). However, no significant difference was found in the control group. **Conclusion:** The results showed that intervention program based on family support led to an increase in the managerial self-efficacy associated with chemotherapy symptoms in patients with breast cancer.

کلمات کلیدی:

لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/912488>



