

## عنوان مقاله:

Testicular torsion in a neonate; a case report

## محل انتشار:

مجله علمی ناباروری ایران، دوره 1، شماره 1 (سال: 1389)

تعداد صفحات اصل مقاله: 3

## نویسندگان:

Maliheh Kadivar - *Department of Pediatrics, Division of Neonatology, Tehran University of Medical Sciences, Tehran, Iran*

Sharareh Anari - *Department of Pediatrics, Tehran University of Medical Sciences, Tehran, Iran*

Bahar Ashjaei - *Department of Pediatrics, Tehran University of Medical Sciences, Tehran, Iran*

## خلاصه مقاله:

The testicular torsion which is typically seen in prepuberty is very rare in the early neonatal period; prenatal diagnosis is difficult. Herein, we report a five day-old male neonate with swelling and erythema of the right scrotum. Following Doppler ultrasound suggestive of testicular torsion, surgical exploration was undertaken. There was gangrene of the right testis with discoloration and necrosis due to complete extravaginal torsion. Right orchidectomy, along with a fixation of the left testis was performed. While perinatal testicular torsion is a rare condition, if a case is found it should be considered as an emergency situation. Treatment in the neonatal period is mandatory.

## کلمات کلیدی:

neonate, Testes, Torsion

## لینک ثابت مقاله در پایگاه سیویلیکا:

<https://civilica.com/doc/935431>

